


Grayling AVAIL brand glovebags enjoy the industry reputation of being the highest performing, easiest to use, and safest method to remove asbestos insulation from pipe. It is no wonder that more professionals choose AVAIL than any other brand. AVAIL glovebags have been used to remove over 50 million linear feet of pipe insulation.


The AVAIL QuickTwist model incorporates all the safety and labor saving features of other AVAIL glovebags, plus a new debris chamber design that makes it safer and easier for workers to twist off the waste area. The QuickTwist design has two distinct work zones, the removal area and the debris chamber. This two-stage design makes it safer and easier for workers to remove and securely separate debris-laden bags from pipe. The QuickTwist incorporates a larger work area with a narrower and taller debris chamber so that less bunching is required to twist close the glovebag. The increased work area gives the worker greater freedom inside the glovebag to access difficult pipe insulation. Each debris chamber is tall enough to handle intact sections of pipe insulation, less breakage of debris means lower fiber counts. After waste is funneled into the chamber, the worker easily twists it closed at the top and tapes the neck to prevent escape of dangerous fibers. The QuickTwist debris chamber is more puncture and tear resistant than any glovebag ever made. Made from PHD, a specially engineered polymer that incorporates all the strength and durability of low and high-density polyethylene.

All AVAIL bags come packaged in a convenient dispensing box that protects the unused bags from damage due to handling. The bags are on a roll and can be cut off and used in sections of 1, 2, 3 or more. 6 mil is standard construction.



QT10

The most popular, and versatile glovebag in the collection, the QT10 fits pipe diameters up to 10". It handles 40% more insulation than a 4460 style glovebag. This bag directly replaces the 4460 through 6060 style glovebags.




QT14

When larger diameters of pipe are encountered, the QT14 is a workhorse. It safely encloses pipe diameters from 10" to 14". A perfect replacement for the 6072 style glovebag.




QT10 Dramatically increase productivity and safety utilizing the AVAIL QT10 glovebag on extended-runs of pipe.



QT18

Large pipe diameters from 14" to 18" are no problem for this QT18 model. Two sets of glovesleeves let the worker easily reach and remove pipe insulation. This bag is a direct replacement of the 6684 style glovebag.



QT30

This super sized AVAIL model handles pipe diameters from 18" to 30" and directly replaces the 72120. Ideal for larger pipes, valves and fittings where more work area is required. Three sets of glovesleeves let workers remove insulation on large diameter pipe.



QT30

Super size model for large pipes, valves and beams up to 30" in diameter. 3 sets of glovesleeves allow easy access to the full circumference of insulation.



QuickTwist

1-2-3 Debris Chamber

The **QuickTwist 1-2-3** debris chamber makes it easy for workers to securely and safely separate debris laden bags from pipe. The new design incorporates a narrower and taller waste area so that less bunching is required to twist close the glovebag. After waste is funneled into the chamber, the worker easily twists it closed at the top and tapes the neck to prevent escape of dangerous fibers.



TM

TM



e
30"
eves

QT18 Work from either side of the pipe. 2 sets of glovesleeves lets you access pipe insulation diameters up to 18".

QUICKTWIN


6072 This glovebag with a larger work area is designed to handle pipe diameters from 10" to 14".

AVAIL Standard Glovebag System for Long and Short Pipe Runs

Grayling AVAIL brand glovebags enjoy the industry reputation of being the highest performing, easiest to use, and safest method to remove asbestos insulation from pipe. It is no wonder that more professionals choose AVAIL than any other brand. AVAIL glovebags have been used to remove over 50 million linear feet of pipe insulation.


All AVAIL bags come packaged in a convenient dispensing box that protects the unused bags from damage due to handling. The bags are on a roll and can be cut off and used in sections of 1, 2, 3 or more. 6 mil is standard construction.

Extended-run glovebags dramatically increase productivity and safety by eliminating multiple bag set-up labor and reducing jobsite fiber counts. The extended-run design is more efficient because it encloses a larger work area per bag and allows workers to remove more insulation than when used as a single bag.



4460EXT & 4460

The basic economy Avail glovebag encloses pipe diameters up to 8". Each chamber measures 44"x60" with one arm set per chamber, 6-mil construction. Available in the popular Extended-run design on a roll or as pre-cut single bags.



5460EXT & 5460


This full featured Avail glovebag sets the industry standard for efficiency on pipe diameters up to 10". Available in the popular Extended-run design on a roll or as pre-cut single bags. Each chamber measures 54"x60" with one arm set, and ports per chamber, 6-mil construction.



5460EXT Dramatically increase productivity and safety by utilizing the extended-run glovebag on long runs of pipe.

STANDARD EXT & SINGLE


6072EXT
6072



6072EXT & 6072

The Avail workhorse for larger pipe diameters from 10" to 14". Chambers measure 60"x72" with one glovesleeve set, port set, quick attach collars and 6-mil construction.


6684-2EXT
6684-2



6684-2EXT & 6684-2

This Avail bag eliminates awkward bag twisting to reach around the pipe diameter with two sets of glovesleeves. Ideal for pipe diameters 14" to 18". Each chamber measures 66"x84" and has a port set, quick attach collars and 6-mil construction.

72120-2



72120-2

This super sized AVAIL model handles pipe diameters from 18" to 30". Ideal for larger pipes, valves and fittings where more work area is required. Two sets of glovesleeves let workers easily remove insulation on large diameter pipes. Measures 72"x120" with a port set and 6-mil construction.

6684-2 This glovebag allows workers to easily and safely access the work area with two sets of gloves/leaves.



STANDARD EXT & SINGLE

Not all applications are long runs of horizontal pipe. These Special Application AVAIL glovebags make your workers more productive on difficult vertical pipe, small valves and large vessels.

The AVAIL M6 is the perfect bag for small maintenance and repair operations where the work is on small pipe, valves and gaskets. The M6 has pre-cut openings, collars and fiberguard glovesleeves like the other AVAIL models.

Avail glovebags for vertical applications improve worker productivity by design features which assist in the removal process. Debris weight and bulk is channeled away from the work area by the offset debris chamber. Awkward twisting and turning of the bag is eliminated due to the work area being separated from the debris area. Installation is quick, safe and secure with fitted collars and pre-cut bag openings.

M6 The glovebag for repair and maintenance operations where the work involves small sections of insulation.

AVAIL Special Application Glovebag System